L Number	Hits	Search Text	DB	Time stamp
-	2595	@ad<20000929 AND 709/220-222.ccls.) (@ad<20000929 AND 709/227-228.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/09 15:34
-	4	((@ad<20000929 AND 709/220-222.ccls.) (@ad<20000929 AND 709/227-228.ccls.)) AND XML.ab,ti.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/15 12:20
-	4	((@ad<20000929 AND 709/220-222.ccls.) (@ad<20000929 AND 709/227-228.ccls.)) AND configur\$5.ab,ti. AND XML	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 08:57
-	411	((@ad<20000929 AND 709/220-222.ccls.) (@ad<20000929 AND 709/227-228.ccls.)) AND configuration ADJ information	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 12:25
-	9	(((@ad<20000929 AND 709/220-222.ccls.) (@ad<20000929 AND 709/227-228.ccls.)) AND configuration ADJ information) AND XML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 12:20
-	56	((@ad<20000929 AND 709/220-222.ccls.) (@ad<20000929 AND 709/227-228.ccls.)) AND configuration ADJ information WITH request	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/15 14:03
-	27	@ad<20000929 AND XML WITH configuration	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/15 14:28
-	20	("5247516" "5367635" "5524212" "5678006" "5708798" "5715394" "5768586" "5799141" "5802042" "5809287" "5956732" "5968116" "5974454" "5999740" "6074434" "6223345" "6253320" "6366876" "6377939" "6404445").PN.	IBM_TDB USPAT	2004/01/15 14:22
-	2416	@ad<20000929 AND customer ADJ premise ADJ equipment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 14:28
-	1	@ad<20000929 AND XML AND customer ADJ premise ADJ equipment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 14:28
-	0	@ad<20000929 AND XML WITH template SAME device WITH configur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 15:16
-	11	@ad<20000929 AND XML WITH template AND device WITH configur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 14:45

-	1212	(@ad<20000929 AND 709/220-222.ccls.) (@ad<20000929 AND 709/227-228.ccls.) AND XML same template	USPAT; US-PGPUB; EPO; JPO;	2004/02/09 15:10
-	1211	(@ad<20000929 AND 709/220-222.ccls.) (@ad<20000929 AND 709/227-228.ccls.) AND XML WITH template	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/09 15:10
-	1	((@ad<20000929 AND 709/220-222.ccls.) (@ad<20000929 AND 709/227-228.ccls.)) AND XML WITH template	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/09 15:10
-	2	((@ad<20000929 AND 709/220-222.ccls.) (@ad<20000929 AND 709/227-228.ccls.)) AND XML same template	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/09 15:10
-	60	@ad<20000929 AND script\$3 ADJ install\$5	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/09 15:37
-	28	@ad<20000929 AND XML WITH configuration	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/09 15:34
-	43	((@ad<20000929 AND 709/220-222.ccls.) (@ad<20000929 AND 709/227-228.ccls.)) AND XML	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/09 15:37
-	69	@ad<20000929 AND (configur\$5 AND (XML markup)).ab,ti.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/09 15:37
-	8	((@ad<20000929 AND 709/220-222.ccls.) (@ad<20000929 AND 709/227-228.ccls.)) AND configur\$5.ab,ti. AND (HTML markup).ab,ti.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/10 13:06
-	45	("4750136" "4763191" "5250940" "5287103" "5319644" "5361250" "5367635" "5423002" "5513126" "5572572" "5572643" "5633920" "5657378" "5687398" "5761662" "5809287" "5812776" "5826253" "5832522" "5835720" "5835727" "5835911" "5838683" "5873103" "5887139" "5895461" "5913037" "5918016" "5922047" "5956732" "5961586" "5974454" "5995756" "5999740" "6005568" "6012088" "6026438" "6031904" "6041360" "6061686" "6074434" "6122657" "6141666" "6195681"	IBM_TDB USPAT	2004/02/10 09:01
-	14	"6195694").PN. @ad<20000929 AND template WITH configur\$5 WITH (XML HTML markup)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 13:21

-	55	@ad<20000929 AND device ADJ specific ADJ configuration AND information	USPAT; US-PGPUB;	2004/02/10 13:22
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	2	@ad<20000929 AND device ADJ specific ADJ configuration	USPAT;	2004/02/10 15:01
		AND information SAME (template)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
<u>-</u>	10	("5838918" "5956719" "6009103" "6023699"	USPAT	2004/02/10 13:35
		"6192362" "6233616" "6298354" "6321259"		, ,,
		"6330560" "6366954").PN.	LICOAT	2004/02/44 00 45
-	9	@ad<20000929 AND XML same (DTD (document ADJ type ADJ definition)) same syntax SAME HTML	USPAT; US-PGPUB;	2004/02/11 08:15
		Abs definition)) same syntax same trivic	EPO; JPO;	
			DERWENT;	
	114	Condition AND VALLADI GENERAL	IBM_TDB	2004/02/10 15:44
-	114	@ad<20000929 AND XML ADJ parser	USPAT; US-PGPUB;	2004/02/10 15:44
			EPO; JPO;	
			DERWENT;	
		CALL COORDOO AND VALLAD TO THE CAME DED	IBM_TDB	2004/02/11 00:25
-	52	@ad<20000929 AND XML ADJ parser SAME DTD	USPAT; US-PGPUB;	2004/02/11 08:25
			EPO; JPO;	
			DERWENT;	
	7	/"E124000" "E200002" "E2002E1" "E247622"	IBM_TDB USPAT	2004/02/11 08:11
-	'	("5124909" "5200993" "5309351" "5347632" "5404523" "5463625" "5550657").PN.	USPAT	2004/02/11 08.11
-	63	@ad<20000929 AND XML same (DTD (document ADJ type	USPAT;	2004/02/11 08:16
		ADJ definition)) SAME HTML	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	137	@ad<20000929 AND syntax ADJ checking	USPAT;	2004/02/11 08:25
			US-PGPUB; EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	71	@ad<20000929 AND syntax ADJ checking AND configur\$5	USPAT; US-PGPUB;	2004/02/11 08:25
			EPO; JPO;	
			DERWENT;	
		@ad <20000030 AND guntay AD1 shocking CAME configurate	IBM_TDB	2004/02/11 00:54
	8	@ad<20000929 AND syntax ADJ checking SAME configur\$5	USPAT; US-PGPUB;	2004/02/11 08:54
			EPO; JPO;	
			DERWENT;	
	0	@ad<20000929 AND generat\$3 ADJ event WITH service	IBM_TDB USPAT;	2004/02/11 09:13
	"	SAME successful SAME syntax	US-PGPUB;	200 1/02/11 09.13
		·	EPO; JPO;	
			DERWENT;	
_	2	@ad<20000929 AND event ADJ service SAME validated	IBM_TDB USPAT;	2004/02/11 09:59
	_		US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
L	<u> </u>	<u> </u>	1 2011_100	1

US EPG	PAT; 2004/02/11 10:05 -PGPUB;
I TO	O; JPO; RWENT;
rvice SAME successful US	M_TDB PAT; 2004/02/11 10:05
EPO	-PGPUB; O; JPO; RWENT;
IBN	M_TDB
US	-PGPUB; O; JPO;
DE	RWENT; M_TDB
TTH plurality WITH US	PAT; 2004/02/11 10:09 -PGPUB;
	O; JPO; RWENT;
TTH plurality WITH US	M_TDB 2004/02/11 10:10
EPO	-PGPUB; O; JPO;
IBN	RWENT; M_TDB PAT; 2004/02/11 10:11
709/\$.ccls. US	-PGPUB; O; JPO;
DE	RWENT; M_TDB
aneously) US	PAT; 2004/02/12 09:32 -PGPUB;
DE	O; JPO; RWENT;
configur\$5 US	M_TDB
EPG	O; JPO; RWENT;
IBN	M_TDB 2004/02/12 08:58
EPG	-PGPUB; O; JPO;
IBN	RWENT; M_TDB
US	PAT; 2004/02/11 11:09 -PGPUB; O; JPO;
DE	RWENT; M_TDB
1" "5651006" US " "6032183"	PAT 2004/02/11 11:13
1" "5678006" US	PAT 2004/02/11 11:18
1" "5678006" US	PAT 2004/02/11 14:33
US	PAT 2004/02/11 14:34 PAT 2004/02/11 14:36
	rvice SAME successful US EPH DE IBI ITH plurality WITH US ITH plurality WITH H devices ITH plurality WITH TO9/\$.ccls. US EPH DE IBI ITH plurality WITH US IBI ITH plurality WITH US IBI ITH plurality WITH US IBI ITH plurality NEAR3 IBI ITH plurality NEAR3 IBI ITH plurality NEAR3 IBI ITH plurality NEAR3 IBI ITH plurality NEAR3 IBI ITH plurality NEAR3 IBI ITH plurality NEAR3 IBI ITH plurality NEAR3 IBI ITH plurality NEAR3 IBI ITH plurality NEAR3 IBI ITH plurality NEAR3 IBI ITH plurality NEAR3 IBI ITH plurality NEAR3 IBI ITH plurality NEAR3 IBI ITH plurality NEAR3 ITH pluralit

-	21	("5587740" "5602905" "5708782" "5710886" "5761071" "5768142" "5774663" "5781909" "5791991" "5802299" "5812765" "5815657" "5818446" "5826267" "5894512" "5898835" "5899982" "5901287" "5905248" "5909545" "5949411").PN.	USPAT	2004/02/11 14:53
-	11	@ad<20000929 AND publish WITH event ADJ service	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 08:59
-	1	@ad<20000929 AND application WITH request WITH topology WITH configur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 09:33
-	34	@ad<20000929 AND request WITH topology WITH configur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 15:15
-	6	@ad<20000929 AND topology WITH configur\$5 NEAR (network ADJ device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 09:47
-	0	@ad<20000929 AND configure WITH based ADJ (topology (network ADJ topology))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 09:48
-	12	@ad<20000929 AND configur\$5 WITH based ADJ (topology (network ADJ topology))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 15:47
-	24480	@ad<20000929 AND test ADJ device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 15:47
-	6	@ad<20000929 AND applying WITH test ADJ device WITH before	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 16:04